

# Index

- $\chi^2$  distribution, 11, 64, 65, 72, 109, 110, **227**, 229
  - degrees of freedom, **64**
- $\chi^2$  statistic, **62**, 64, 65, 73, 83, 85, 90, 92
- $\chi^2$  test, **61**, 62, 64–66, 70, 72, 73, 77, 79, 82, 84, 89
- 1-persistent, 209
  
- Acceptance/rejection, 42, **44**, 45, 46, 48, 52, 60, 234
- ACTIVITY, 141, 144, 164, 168
- Activity, 133
- ActivityArgSize(), **140**, 163, 165, 168, 171, 199, 202
- ActivityGetArg(), **139**, 142, 143
- ActivitySchedCond(), 180
- ActivitySchedFlag(), 180
- ActivitySchedRes(), 180
- ActivitySchedSema(), 180
- ActivitySchedTime(), **116**, 118–121, 123, 124, 128–130, 134–137, 139, 141, 143, 144, 146, 150, 152, 156, 158, 164, 165, 168, 173, 180, 181, 184, 185, 189, 197
- ActivitySetArg(), **139**, 140, 141, 143, 144, 163–165, 168, 197
- Additive congruential generator, 37, **37**, 38, 91
- Address trace, *see* Trace
  
- Backoff algorithm, 209
- Bin, 102
  
- Carrier-sense multiple-access
  - with collision detection, *see* CSMA/CD
- Central Limit Theorem, 43
- Chapman-Kolmogorov equations, **256**, 257, 260
- Chi-square distribution, *see*  $\chi^2$  distribution
- Chi-square statistic, *see*  $\chi^2$  statistic
- Chi-square test, *see*  $\chi^2$  test
- Collision enforcement, **209**, 215
- Composition, **42**, 43, 60, 233
- CONDITION, 154, 156, 158
- Condition, **149**, 154–156, 158, 159, 163, 180
- ConditionWait(), 149, 157, 159
- Confidence interval, 11, 106, **108**, 109–113, 161–163, 166–168, 172, 173, 175, 178, 187, 222, 223
- Confidence level, **108**, 118, 161, 162, 175
- Coupon collectors test, **85**, 88–92
- Cover, **85**, 87–90
- CSMA/CD, 187, 188, **207**, 209, 210
  
- Decomposition, 42, **49**, 60, 235
- Deferring, 209
- DELETE, **180**, 184, 185
- Deleting event, **179**, 180, 183, 184, 186
- Discrete-event simulation, 7–10, **13**, 14, 15, 17
  - stochastic, 10, 11, 14, 15
- Disk
  - RAID, 193
- Disks
  - parallel, 193, 196

- Dispersion, **97**
- Distributed polling, 188
- Distributed simulation, 8, 9, 15, 18
- Distribution
  - $\chi^2$  distribution, *see*  $\chi^2$  distribution
  - empirical, **66**
  - Erlang, *see* Erlang distribution
  - exponential, *see* Exponential distribution
  - geometric, *see* Geometric distribution
  - hyperexponential, *see* Hyperexponential distribution
  - invertible, **39**, 42
  - multinomial, *see* Multinomial distribution
  - normal, *see* Normal distribution
  - Pareto, *see* Pareto distribution
  - skewed-left triangular, *see* Skewed-left triangular distribution
  - skewed-right triangular, *see* Skewed-right triangular distribution
  - uniform, *see* Uniform distribution
- Driver, 9, **16**, 18, 20, 22, 24, 27, 29, 116, 117, 121, 122, 124, 125, 128, 191
- DriverInterrupt(), **118**, 119, 120, 167, 168, 171, 173, 189, 192
- DriverReset(), **133**, 137, 163, 173
- DriverRun(), **115**, 116–123, 129, 132, 134, 137, 141, 144, 146, 150, 152, 156, 158, 164, 168, 171–173, 181, 184, 189, 197
- Empirical distribution, 70
- Equi-distribution test, **65**, 71, 73, 92, 237
- Erlang distribution, **43**, 233
- Estimator, 11, **96**, 97, 98, 102, 106, 108, 111–113, 161, 162, 166
  - efficiency, **97**, 98, 112
  - for the mean, *see* Sample mean
  - for the variance, *see* Sample variance
- interval, 99, *see* Interval estimator, 100
- linear, *see* Linear estimator
- point, 99, *see* Point estimator, 100
- sample variance, *see* Sample variance
- unbiased, **96**, 97, 98, 104, 106, 111, 112
- Event, 8–11, **15**, 179
  - deleting, *see* Deleting event
  - non-deleting, *see* Non-deleting event
- Event list, **15**, 16–18, 20, 22, 24–27, 29, 30, 115–119, 121, 122, 124, 128, 147, 163, 165
- Event service routine, **16**, 17
- Event set, 9, **15**, 16, 18, 27, 29, 121, 145
- Event-driven simulation, 8–11, 15, 17, 21, 27, 32, 115
- EventGetState(), **180**, 182
- EventGetType(), **182**, 185
- EventReschedCond(), 180
- EventReschedFlag(), 180
- EventReschedRes(), 180, 182
- EventReschedSema(), 180
- EventReschedTime(), 180, 182
- EventSetType(), **182**
- Exponential distribution, 15, 21, 24, 35, 39, **39**, 43, 48, 59, 60, 130, 133, 142, 190, 231
- FCFS, 21, 27, 126–129, 134, 137, 141, 144, 164, 165, 168, 173, **175**, 176, 177, 181, 193, 194, 204, 205
- Femtocentury, **124**
- First-come-first-served, *see* FCFS
- Flag, 180
- Frequency test, *see* Equi-distribution test
- Fset(), **155**
- Fval(), **155**
- FVAR, **154**, 155

- Gap test, **84**, 91
- Geometric distribution, 39, **41**, 47, 52, 56, 57, 214, 231
- GetSimTime(), 148, 151, 153, 157, 159, 185, 192, 197, 199
- Greetings, 116–123
- Halfling, *see* Hobbit
- Hand-waving, 104
- Histogram, 102, **102**, 103, 104
- Hobbit, 143
- Hub polling, 188
- Hyperexponential distribution, **49**, 235
- IEEE 802.3 standard, 209
- Increment, **36**, 91
- INDEPENDENT, **116**, 117–121, 123, 128–130, 134–137, 139, 141, 143, 144, 146, 150, 152, 156, 158, 164, 165, 168, 173, 181, 184, 185, 189, 197
- Independent replications, 106, **110**, 162, 178
- INTERVAL, **148**, 150, 152, 156, 158, 184
- Interval estimator, **99**, 148
- Interval statistic, *see* INTERVAL
- Interval test, **84**, 85, 86, 91–93, 247
- Inversion, 38, **38**, 39–43, 46, 48, 56, 60, 231, 232
- Iset(), **155**, 157, 159
- Ival(), 154, **155**, 157, 159
- IVAR, **154**, 155, 156, 158
- Jamming, *see* Collision enforcement
- Kolmogorov-Smirnov statistic, *see* KS statistic
- Kolmogorov-Smirnov test, **66**, 67, 70, 71
- KS statistic, 68, **68**, 70
- KS test, *see* Kolmogorov-Smirnov test
- Lagrangian multiplier, 98
- Last-come-first-served, *see* LCFS
- Last-come-first-served-preemptive-resume, *see* LCFSPR
- LCFS, **175**, 176, 177
- LCFSPR, 175, **175**, 176, 177
- Least-Recently-Used Stack Model, *see* LRU Stack Model
- LENGTH, **131**, 132, 134, 137, 181
- Linear congruential generator, **36**, 37, 38, 61, 91
- Linear estimator, **98**, 105
- LRU Stack Model, 55, **55**
- MAKE\_NAME, 136, **139**, 141, 144, 165, 168, 197, 204
- Markov chain
  - aperiodic, **260**
  - discrete-time, 12, 76, 80, 81, 88, **255**, 256, 257
  - ergodic, **260**
  - homogeneous, **256**, 260
  - irreducible, **257**
  - periodic, **260**
  - recurrent nonnull, **260**
  - recurrent null, **260**
  - state
    - communicating, **257**
    - nonnull, **257**
    - null, 257
    - periodic, 259
    - recurrent, **257**
    - recurrent null, 258
    - transient, **257**
  - transient, **260**
- Markov property, **255**
- ME, 131, 140, **140**, 142, 143, 145, 165, 168, 171, 180, 199, 202
- MEANS, **131**, 134, 137, 148, 150, 152, 156, 158, 164, 165, 168, 173, 181, 184
- Median, 96, **96**
- Model, 7, 13
  - parameterized, **132**
- Modulus, **36**, 37, 91
- Moment matching, **57**
- Multi-threading, 9

- Multinomial distribution, **63**, 65
- Multiplicative congruential generator, **36**
- Multiplier, **36**, 91
- Multiprocessor system, 14
- Multiprogramming system, **20**, 26, 28, 30, 31, 33, 105, 136–138, 141, 142, 144, 145, 155
- Networking
  - access control, 188
  - frequency-division multiplexing, 188
  - polling, *see* Polling
  - time-division multiplexing, 188
  - token bus, 188
  - token ring, 188
- NewCondition(), **154**, 156, 158
- NewEvent(), **180**, 181, 182, 184, 185
- NewIvar(), **154**, 156, 158
- NewProcess(), **116**, 117–121, 123, 128–130, 134–137, 139, 141, 143, 144, 146, 150, 152, 156, 158, 164, 165, 168, 173, 189, 197
- NewResource(), **127**, 129, 134, 136, 137, 141, 144, 164, 165, 168, 173, 181
- NewSemaphore(), 146, 150, 152, 197
- NewStatrec(), **148**, 150, 152, 156, 158, 184
- NODELETE, **180**, 181
- NOHIST, **131**, 134, 137, 148, 150, 152, 156, 158, 164, 165, 168, 173, 181, 184
- Non-deleting, 183
- Non-deleting event, **179**, 180–183, 186
- Non-exhaustive service, 193
- Normal distribution, 43, 44, 47, 48, 50, 52, 106–109, 233–235
- Open model, 126
- Page, **54**, 55, 56
- Page frame, **54**
- Paged virtual memory, *see* Virtual memory systems
- Pareto distribution, 39, 133, **175**
- Percentile, **96**
- Period, **36**, 37
- Permutation test, **81**, 92, 243
- POINT, **148**
- Point estimator, **99**, 148
- Point statistic, *see* POINT
- Poisson process, **188**, 190
- Polar Method, 44, **50**, 52, 235
- Poll, 188
- Polling, 188
- Polling cycle, 188
- Polling network, 210
- PROCESS, 146, 150, 152, 156, 158, 189, 197
- Process, 9–11, 17, **18**, 20, 25, 27, 29, 30, 32
  - light-weight, 9
- Process descriptor, **20**, 25, 27, 116
- Process-oriented simulation, 8–11, 15, 17, **18**, 19–21, 25, 27–33, 115, 116, 125, 127, 155
- ProcessDelay(), 118–120, **122**, 123, 124, 130, 132, 135, 138, 142, 143, 145, 147, 151, 153, 157, 159, 165, 168, 171, 173, 191, 192, 202
- Producer/consumer, **142**, 146, 147, 150, 151, 153, 155–159
  - finite buffer, **149**
  - infinite buffer, **142**
- Pseudo-random numbers, *see* Random numbers
- Pseudorandom number generator, *see* Random number generator
- QueueCollectStats(), **131**, 137, 148, 164, 165, 168, 173, 181
- Queueing discipline, **127**
- QueueResetStats(), 171–173
- QueueStatPtr(), **132**, 134, 137, 164, 167, 168, 171, 181
- QueueStatrecs(), 183
- rand(), **91**
- Random number generation

- acceptance/rejection, *see* Acceptance/rejection
- composition, *see* Composition
- decomposition, *see* Decomposition
- inversion, *see* Inversion
- normal distribution, 50
- uniform distribution, 11, **35**, 36–38
- Random number generator, **35**
  - additive congruential, *see* Additive congruential generator
  - linear congruential, *see* Linear congruential generator
  - multiplicative congruential, *see* Multiplicative congruential generator
  - shuffling, *see* Shuffling
- Random number test
  - coupon collectors, 85
  - equi-distribution, *see* Equi-distribution test
  - frequency, *see* Equi-distribution test
  - gap, *see* Gap test
  - interval, *see* Interval test
  - Kolmogorov-Smirnov, *see* Kolmogorov-Smirnov test
  - permutation, *see* Permutation test
  - run-length, *see* Run-length test
  - serial, *see* Serial test
- Random variable
  - simple, *see* Simple random variable
- random(), 68, 71–73, **90**, 92–94, 130, 131, 135, 138
- Residence time, **99**
- RESOURCE, 129, 133, 136, 141, 144, 164, 168, 173, 181
- Resource, **127**, 128, 131–133, 148, 163, 165, 175, 178, 180, 183
- ResourceUse(), **128**, 130, 131, 135, 138, 142, 145, 163, 165, 168, 171, 173, 210
- Rings, 143
- Run, **73**
- Run-length test, **73**, 76, 78, 80–82, 88, 92, 250
- Sample mean, **96**, 98, 99, 104–106, 108, 110, 112, 161, 167, 168, 172, 173, 175
- Sample standard deviation, 108, 110, 168
- Sample variance, 11, **96**, 112
- Scheduling, 176–178
  - FCFS, *see* FCFS
  - LCFS, *see* LCFS
  - LCFSPR, *see* LCFSPR
  - SJN, *see* SJN
- Seed, **36**, 37, 92, 110
- SEMAPHORE, 146, 150, 152, 197
- Semaphore, 20, 25, 27–29, 31, **145**, 147, 149, 154, 155, 163, 180, 191, 197, 199, 202, 204
- SemaphoreSignal(), **145**, 147, 151, 153, 199, 202
- SemaphoreValue(), **202**
- SemaphoreWait(), **145**, 147, 151, 153, 199, 202
- Serial test, **72**, 92, 240
- Sgniteerg, 121
- Shortest-job-next, *see* SJN
- Shuffling, **37**
- Simple random variable, **52**, 53–60
- Simulation
  - continuous-valued, **13**
  - discrete-event, *see* Discrete-event simulation
  - driver, *see* Driver
  - process, *see* Process
  - process-oriented, *see* Process-oriented simulation
  - stopping rule, *see* Stopping rule
  - tandem queues, *see* Tandem queues
  - time units, *see* Time units
  - trace-driven, *see* Trace-driven simulation

- SJN, 175, **175**, 176, 177
- Skewed-left triangular distribution, **41**, 232
- Skewed-right triangular distribution, **40**, 41, 45, 46, 232, 234
- Slot, 209
- Smoothing, **105**, 106
- SPICE, 13
- Standard deviation, 95
- Starvation, **101**, 176–178
- State, 8
- State variable, 13–15, **149**, 154–157, 163
  - floating point, *see* FVAR
  - integer, *see* IVAR
- Statistics record, 132, 133, **148**, 167
- STATREC, **148**, 150, 152, 156, 158, 184
- StatrecMean(), 167, 168, 171, 173
- StatrecReport(), **132**, 134, 137, 150, 152, 156, 158, 164, 181, 184
- StatrecUpdate(), 148, 149, 151, 153, 157, 159, 185
- Steady-state, *see* Steady-state phase
- Steady-state phase, **101**, 102, 110, 111
- Stirling's number, **86**
- Stopping rule, 161, **162**, 166, 167, 172, 175, 176, 178, 187
- Student's t-distribution, *see* T-distribution
  
- T-distribution, 11, 107, **225**, 226
- Tandem queues, **126**, 127, 129, 130, 132–135, 155, 190
- Temporal locality, **55**, 56
- Think time, **21**, 22, 24–31, 35, 126, 132, 140–142
- Thread, 9, **18**, 179
- TIME, **131**, 132, 134, 137, 164, 167, 168, 171, 173, 181
- Time units, 116, 122, 124, 171, 173
- Trace, 14
- Trace-driven simulation, **14**, 15, 54
- Transient phase, **101**, 102, 104–106, 111
  
- Transition matrix
  - stationary, 256
  
- Uniform distribution, 10, 15, 133
- UserMain(), **115**
- UTIL, **131**, 132, 134, 137, 181
  
- Variance, 95
- Virtual address space, 55
- Virtual memory systems, **53**
  
- Work queue, **125**, 126
  
- YacRand(), **131**
- YACSIM, **10**, 11, 115
  - manual, 10